

## EGRESS WINDOW SIZING CHART

MINIMUM DIMENSIONS: 5.7 square feet (**820.8** square inches)

OR

5 square feet (**720** square inches) at grade level

		WIDTH															
(inches)		20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
H	24	480	504	528	552	576	600	624	648	672	696	<b>720</b>	744	768	792	816	<b>840</b>
	25	500	525	550	575	600	625	650	675	700	<b>725</b>	750	775	800	<b>825</b>	<b>850</b>	875
I	26	520	546	572	598	624	650	676	702	<b>728</b>	754	780	806	<b>832</b>	858	884	910
	27	540	567	594	621	648	675	702	<b>729</b>	756	783	810	<b>837</b>	864	891	918	945
H	28	560	588	616	644	672	700	<b>728</b>	756	784	812	<b>840</b>	868	896	924	952	980
	29	580	609	638	667	696	<b>725</b>	754	783	812	<b>841</b>	870	899	928	957	986	1015
T	30	600	630	660	690	<b>720</b>	750	780	810	<b>840</b>	870	900	930	960	990	1020	1050
	31	620	651	682	713	<b>744</b>	775	806	<b>837</b>	868	899	930	961	992	1023	1054	1085
	32	640	672	704	<b>736</b>	768	800	<b>832</b>	864	896	928	960	992	1024	1056	1088	1120
	33	660	693	<b>726</b>	759	792	<b>825</b>	858	891	924	957	990	1023	1056	1089	1122	1155
	34	680	714	<b>748</b>	782	816	<b>850</b>	884	918	952	986	1020	1054	1088	1122	1156	1190
	35	700	<b>735</b>	770	805	<b>840</b>	875	910	945	980	1015	1050	1085	1120	1155	1190	1225
	36	<b>720</b>	756	792	<b>828</b>	864	900	936	972	1008	1044	1080	1116	1152	1188	1224	1260
	37	740	777	814	<b>851</b>	888	925	962	999	1036	1073	1110	1147	1184	1221	1258	1295
	38	760	798	<b>836</b>	874	912	950	988	1026	1064	1102	1140	1178	1216	1254	1292	1330
	39	780	819	<b>858</b>	897	936	975	1014	1053	1092	1131	1170	1209	1248	1287	1326	1365
	40	800	<b>840</b>	880	920	960	1000	1040	1080	1120	1160	1200	1240	1280	1320	1360	1400
	41	820	<b>861</b>	902	943	984	1025	1066	1107	1148	1189	1230	1271	1312	1353	1394	1435
	42	<b>840</b>	882	924	966	1008	1050	1092	1134	1176	1218	1260	1302	1344	1386	1428	1470

### Note:

Egress window minimum net clear openings are: 5.7 total square feet (**820.8** square inches) or 5 square feet (**720** square inches) at grade level). All egress windows require a minimum 24-inch height, 20-inch width and maximum sill height of 44-inches above floor.

Grade level = sill height not more than 44" above or below ground level next to opening.